

兔抗 ACKR2 多克隆抗体

中文名称：兔抗 ACKR2 多克隆抗体

英文名称：Anti-ACKR2 rabbit polyclonal antibody

别名：atypical chemokine receptor 2; D6; hD6; CCR9; CCBP2; CCR10; CMKBR9

相关类别：一抗

抗原：ACKR2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a beta chemokine receptor, which is predicted to be a seven transmembrane protein similar to G protein-coupled receptors. Chemokines and their receptor-mediated signal transduction are critical for the recruitment of effector immune cells to the inflammation site. This gene is expressed in a range of tissues and hemopoietic cells. The expression of this receptor in lymphatic endothelial cells and overexpression in vascular tumors suggested its function in chemokine-driven recirculation of leukocytes and possible chemokine effects on the development and growth of vascular tumors. This receptor appears to bind the majority of beta-chemokine family

	members; however, its specific function remains unknown. This gene is mapped to chromosome 3p21.3, a region that includes a cluster of chemokine receptor genes.
Applications:	ELISA, WB, IHC
Name of antibody:	ACKR2
Immunogen:	Synthetic peptide of human ACKR2
Full name:	atypical chemokine receptor 2
Synonyms:	D6; hD6; CCR9; CCBP2; CCR10; CMKBR9
SwissProt:	O00590
ELISA Recommended dilution:	5000-10000
WB Predicted band size:	43 kDa
WB Positive control:	Human placenta tissue lysate
WB Recommended dilution:	200-1000



