

兔抗 ACOT9 多克隆抗体

中文名称：兔抗 ACOT9 多克隆抗体

英文名称：Anti-ACOT9 rabbit polyclonal antibody

别名：ACATE2; CGI-16; MTACT48; MT-ACT48

相关类别：一抗

抗原：ACOT9

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a mitochondrial acyl-CoA thioesterase of unknown function. Two transcript variants encoding different isoforms have been found for this gene. Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH. Active on long chain acyl-CoAs.
Applications:	ELISA, WB, IHC
Name of antibody:	ACOT9
Immunogen:	Fusion protein of human ACOT9
Full name:	Acyl-CoA thioesterase 9
Synonyms :	ACATE2; CGI-16; MTACTION48; MT-ACTION48
SwissProt:	Q9Y305
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	50 kDa
WB Positive control:	MCF7 and A172 cells
WB Recommended dilution:	500-2000



