

兔抗 ALG12 多克隆抗体

中文名称：兔抗 ALG12 多克隆抗体

英文名称：Anti-ALG12 rabbit polyclonal antibody

别名：CDG1G; ECM39; hALG12; PP14673

相关类别：一抗

抗原：ALG12

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the glycosyltransferase 22 family. The encoded protein catalyzes the addition of the eighth mannose residue in an alpha-1,6 linkage onto the dolichol-PP-oligosaccharide precursor (dolichol-PP-Man(7)GlcNAc(2)) required for protein glycosylation. Mutations in this gene have been associated with congenital disorder of glycosylation type Ig (CDG-Ig) characterized by abnormal N-glycosylation.
Applications:	ELISA, WB, IHC
Name of antibody:	ALG12
Immunogen:	Fusion protein of human ALG12
Full name:	ALG12, alpha-1,6-mannosyltransferase

Synonyms :	CDG1G; ECM39; hALG12; PP14673
SwissProt:	Q9BV10
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	55 kDa
WB Positive control:	PC3 cells
WB Recommended dilution:	200-1000



