

兔抗 AOA 多克隆抗体

中文名称：兔抗 AOA 多克隆抗体

英文名称：Anti-AOA rabbit polyclonal antibody

别名：acyloxyacyl hydrolase

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：AOA

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|-----------------------------------|--|
| Background: | This locus encodes both the light and heavy subunits of a cyloxyacyl hydrolase. The encoded enzyme catalyzes the hydrolysis of acyloxylacyl-linked fatty acyl chains from bacterial lipopolysaccharides, effectively detoxifying these molecules. The encoded protein may play a role in modulating host inflammatory response to gram-negative bacteria. Alternatively spliced transcript variants have been described. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | AOA |
| Immunogen: | Fusion protein of human AOA |
| Full name: | acyloxyacyl hydrolase |
| SwissProt: | P28039 |
| ELISA Recommended dilution | 5000-10000 |

| | |
|---------------------------------|-----------------------|
| : | |
| IHC positive control: | Human cervical cancer |
| IHC Recommend dilution: | 20-100 |
| WB Predicted band size: | 65 kDa |
| WB Positive control: | HL-60 cell lysate |
| WB Recommended dilution: | 200-1000 |



