

## 兔抗 ARL5A 多克隆抗体

|       |                                       |
|-------|---------------------------------------|
| 中文名称: | 兔抗 ARL5A 多克隆抗体                        |
| 英文名称: | Anti-ARL5A rabbit polyclonal antibody |
| 别名:   | ARL5; ARFLP5                          |
| 相关类别: | 一抗                                    |
| 储存:   | 冷冻 (-20℃)                             |
| 宿主:   | Rabbit                                |
| 抗原:   | ARL5A                                 |
| 反应种属: | Human, Mouse, Rat                     |
| 标记物:  | Unconjugate                           |
| 克隆类型: | rabbit polyclonal                     |

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | The protein encoded by this gene belongs to the ARF family of GTP-binding proteins. With its distinctive nuclear/nucleolar localization and interaction with HP1alpha, the protein is developmentally regulated and may play a role(s) in nuclear dynamics and/or signaling cascades during embryonic development. Alternative splicing results in multiple transcript variants encoding different isoforms. This gene has multiple pseudogenes. |
| <b>Applications:</b>     | ELISA, IHC   |
| <b>Name of antibody:</b> | ARL5A  |
| <b>Immunogen:</b>        | Synthetic peptide of human ARL5A   |
| <b>Full name:</b>        | ADP ribosylation factor like GTPase 5A   |
| <b>Synonyms:</b>         | ARL5; ARFLP5   |

|                             |  |
|-----------------------------|--|
| SwissProt:                  | Q9Y689                                   |
| ELISA Recommended dilution: | 5000-10000                               |
| IHC positive control:       | Human colorectal cancer and human tonsil |
| IHC Recommend dilution:     | 25-100                                   |



