

兔抗 Bad(Phospho-Ser155) 多克隆抗体

中文名称: 兔抗 Bad(Phospho-Ser155) 多克隆抗体

英文名称: Anti-Bad(Phospho-Ser155) rabbit polyclonal antibody

别名: Bbc2; AI325008

相关类别: 一抗

储存: 冷冻 (-20℃) 避光

宿主: Rabbit

抗原: Bad(Phospho-Ser155)

反应种属: Human Mouse Rat

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

| | |
|--------------------------|---|
| Background: | Promotes cell death. Successfully competes for the binding to Bcl-X(L), Bcl-2 and Bcl-W, thereby affecting the level of heterodimerization of these proteins with BAX. Can reverse the death repressor activity of Bcl-X(L), but not that of Bcl-2. Appears to act as a link between growth factor receptor signaling and the apoptotic pathways. |
| Applications: | WB, IHC |
| Name of antibody: | Bad(Phospho-Ser155) |
| Immunogen: | Peptide sequence around phosphorylation site of serine 155(R-M-S(p)-D-E) derived from Human BAD. |
| Full name: | BCL2-associated agonist of cell death |
| Synonyms : | Bbc2; AI325008 |
| SwissProt: | Q61337 |

| | |
|---------------------------------|-------------------------------|
| IHC positive control: | Human breast carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 22 kDa |
| WB Positive control: | 293 cells lysate |
| WB Recommended dilution: | 500-1000 |



