

兔抗 BCL2L11 多克隆抗体

中文名称：兔抗 BCL2L11 多克隆抗体

英文名称：Anti-BCL2L11 rabbit polyclonal antibody

别名：BAM; BIM; BOD

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：BCL2L11

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

IHC Recommend dilution:	20-100
IHC positive control:	Human prostate cancer and human breast cancer
ELISA Recommended dilution:	2000-5000
SwissProt:	O43521
Synonyms :	BAM; BIM; BOD
Full name:	BCL2-like 11 (apoptosis facilitator)
Immunogen:	Synthetic peptide of human BCL2L11
Name of antibody:	BCL2L11
Applications:	ELISA, IHC
Background:	The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regula

tors that are involved in a wide variety of cellular activities. The protein encoded by this gene contains a Bcl-2 homology domain 3 (BH3). It has been shown to interact with other members of the BCL-2 protein family and to act as an apoptotic activator. The expression of this gene can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHL1, which suggests a role of this gene in neuronal and lymphocyte apoptosis. Transgenic studies of the mouse counterpart suggested that this gene functions as an essential initiator of apoptosis in thymocyte-negative selection. Several alternatively spliced transcript variants of this gene have been identified.



