

兔抗 BTN1A1 多克隆抗体

- 中文名称: 兔抗 BTN1A1 多克隆抗体
- 英文名称: Anti-BTN1A1 rabbit polyclonal antibody
- 别名: butyrophilin subfamily 1 member A1; BT; BTN; BTN1
- 相关类别: 一抗
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 抗原: BTN1A1
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	Butyrophilin is the major protein associated with fat droplets in the milk. It is a member of the immunoglobulin superfamily. It may have a cell surface receptor function. The human butyrophilin gene is localized in the major histocompatibility complex (MHC) class I region of 6p and may have arisen relatively recently in evolution by the shuffling of exons between 2 ancestral gene families.
Applications:	ELISA, WB, IHC
Name of antibody:	BTN1A1
Immunogen:	Fusion protein of human BTN1A1
Full name:	butyrophilin subfamily 1 member A1
Synonyms:	BT; BTN; BTN1

SwissProt:	Q13410
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	150-300
WB Predicted band size:	59 kDa
WB Positive control:	HepG2 cell lysate
WB Recommended dilution:	1000-5000



