

兔抗 CASP7 多克隆抗体

中文名称：兔抗 CASP7 多克隆抗体

英文名称：Anti-CASP7 rabbit polyclonal antibody

别名：MCH3; CMH-1; LICE2; CASP-7; ICE-LAP3

相关类别：一抗

抗原：CASP7

储存：冷冻 (-20℃)

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at a conserved aspartic residue to produce two subunits, large and small, that dimerize to form the active enzyme. The precursor of the encoded protein is cleaved by caspase 3 and 10, is activated upon cell death stimuli and induces apoptosis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	CASP7
Immunogen:	Fusion protein of human CASP7
Full name:	caspase 7, apoptosis-related cysteine peptidase
Synonyms :	MCH3; CMH-1; LICE2; CASP-7; ICE-LAP3
SwissProt:	P55210
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	34 kDa
WB Positive control:	Mouse brain tissue
WB Recommended dilution:	200-1000



