

## 兔抗 CD2AP 多克隆抗体

中文名称：兔抗 CD2AP 多克隆抗体

英文名称：Anti-CD2AP rabbit polyclonal antibody

别名：CMS

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CD2AP

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a scaffolding molecule that regulates the actin cytoskeleton. The protein directly interacts with filamentous actin and a variety of cell membrane proteins through multiple actin binding sites, SH3 domains, and a proline-rich region containing binding sites for SH3 domains. The cytoplasmic protein localizes to membrane ruffles, lipid rafts, and the leading edges of cells. It is implicated in dynamic actin remodeling and membrane trafficking that occurs during receptor endocytosis and cytokinesis. Haploinsufficiency of this gene is implicated in susceptibility to glomerular disease.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	CD2AP
<b>Immunogen:</b>	Synthetic peptide of human CD2AP
<b>Full name:</b>	CD2-associated protein
<b>Synonyms :</b>	CMS
<b>SwissProt:</b>	Q9Y5K6
<b>ELISA Recommended dilution:</b>	2000-10000
<b>IHC positive control:</b>	Human Lymphoma and Human liver cancer
<b>IHC Recommend dilution:</b>	100-300
<b>WB Predicted band size:</b>	71 kDa
<b>WB Positive control:</b>	A431 and Raji cells
<b>WB Recommended dilution:</b>	1000-5000



