

兔抗 CDK6 多克隆抗体

中文名称：兔抗 CDK6 多克隆抗体

英文名称：Anti-CDK6 rabbit polyclonal antibody

别名：PLSTIRE

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CDK6

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of *Saccharomyces cerevisiae* cdc28, and *Schizosaccharomyces pombe* cdc2, and are known to be important regulators of cell cycle progression. This kinase is a catalytic subunit of the protein kinase complex that is important for cell cycle G1 phase progression and G1/S transition. The activity of this kinase first appears in mid-G1 phase, which is controlled by the regulatory subunits including D-type cyclins and members of INK4 family of CDK inhibitors. This kinase, as well as CDK4, has been shown to phosphorylate, and thus regulate the activity of, tumor suppressor pr

	rotein Rb. Expression of this gene is up-regulated in some types of cancer. Multiple alternatively spliced variants, encoding the same protein, have been identified.
Applications:	ELISA, WB, IHC
Name of antibody:	CDK6
Immunogen:	Fusion protein of human CDK6
Full name:	Cyclin-dependent kinase 6
Synonyms :	PLSTIRE
SwissProt:	Q00534
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human colon cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	37 kDa
WB Positive control:	Jurkat cells
WB Recommended dilution:	500-2000



