

兔抗 STMN2/STMN3/STMN4 多克隆抗体

中文名称：兔抗 STMN2/STMN3/STMN4 多克隆抗体

英文名称：Anti-STMN2/STMN3/STMN4 rabbit polyclonal antibody

别名：SCG10, SCGN10; SCLIP; RB3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：STMN2/STMN3/STMN4

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the stathmin family of phosphoproteins. Stathmin proteins function in microtubule dynamics and signal transduction. The encoded protein plays a regulatory role in neuronal growth and is also thought to be involved in osteogenesis. Reductions in the expression of this gene have been associated with Down's syndrome and Alzheimer's disease. Alternatively spliced transcript variants have been observed for this gene. A pseudogene of this gene is located on the long arm of chromosome 6.
Applications:	ELISA, WB, IHC
Name of antibody:	STMN2/STMN3/STMN4
Immunogen:	Synthetic peptide of human STMN2/STMN3/STMN4

Full name:	stathmin-like 2/2/3
Synonyms :	SCG10, SCGN10; SCLIP; RB3
SwissProt:	Q93045/Q9NZ72/Q9H169
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human thyroid cancer and Human lung cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	21 kDa
WB Positive control:	Human liver cancer tissue
WB Recommended dilution:	500-2000



