

兔抗 ZNF395 多克隆抗体

中文名称：兔抗 ZNF395 多克隆抗体

英文名称：Anti-ZNF395 rabbit polyclonal antibody

别名：PBF; PRF1; HDBP2; PRF-1; HDBP-2; HDRF-2; Si-1-8-14

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ZNF395

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. As a member of the krueppel C2H2-type zinc-finger protein family, ZNF395 (Zinc finger protein 395), also known as PBF (Papillomavirus-binding factor) and HDBP2 (Huntington disease gene regulatory region-binding protein 2), is a 513 amino acid protein that contains one C2H2-type zinc finger. ZNF395 binds to the 3' -CCGG-5' sequence within the papillomavirus promoter adjacent to a RUNX1-binding motif. It has also been established that ZNF395 binds to a seven base pair region within the Huntington's disease (HD) gene promoter, an essential element for HD gene expression. ZNF395 is widely expressed and prob

| | |
|------------------------------------|--|
| | ably shuttles between the nucleus and cytoplasm. |
| Applications: | ELISA, IHC |
| Name of antibody: | ZNF395 |
| Immunogen: | Synthetic peptide of human ZNF395 |
| Full name: | zinc finger protein 395 |
| Synonyms : | PBF; PRF1; HDBP2; PRF-1; HDBP-2; HDRF-2; Si-1-8-14 |
| SwissProt: | Q9H8N7 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human ovarian cancer |
| IHC Recommend dilution: | 50-200 |

