

兔抗 UCHL5 多克隆抗体

中文名称:	兔抗 UCHL5 多克隆抗体
英文名称:	Anti-UCHL5 rabbit polyclonal antibody
别名:	UCH37; CGI-70; INO80R; UCH-L5
相关类别:	一抗
抗原:	UCHL5
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Ubiquitin carboxyl-terminal hydrolase isozyme L5 is an enzyme that in humans is encoded by the UCHL5 gene. Protease that specifically cleaves 'Lys-48'-linked polyubiquitin chains. Deubiquitinating enzyme associated with the 19S regulatory subunit of the 26S proteasome. Putative regulatory component of the INO80 complex; however is inactive in the INO80 complex and is activated by a transient interaction of the INO80 complex with the proteasome via ADRM1.
Applications:	ELISA, WB, IHC
Name of antibody:	UCHL5
Immunogen:	Fusion protein of human UCHL5
Full name:	ubiquitin carboxyl-terminal hydrolase L5
Synonyms :	UCH37; CGI-70; INO80R; UCH-L5
SwissProt:	Q9Y5K5

ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and human cervical cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	38 kDa
WB Positive control:	Human fetal kidney tissue and 293T cells
WB Recommended dilution:	200-1000



