

## 兔抗 WFDC3 多克隆抗体

中文名称:	兔抗 WFDC3 多克隆抗体
英文名称:	Anti-WFDC3 rabbit polyclonal antibody
别名:	WAP four-disulfide core domain 3; WAP14; dJ447F3.3
相关类别:	一抗
储存:	冷冻 (-20℃)
抗原:	WFDC3
宿主:	Rabbit
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the WAP-type four-disulfide core (WFDC) domain family. The WFDC domain, or WAP signature motif, contains eight cysteines forming four disulfide bonds at the core of the protein, and functions as a protease inhibitor. The encoded protein contains four WFDC domains. Most WFDC genes are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene belongs to the telomeric cluster. Alternatively spliced transcript variants have been observed but their full-length nature has not been determined.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	WFDC3
<b>Immunogen:</b>	Synthetic peptide of human WFDC3
<b>Full name:</b>	WAP four-disulfide core domain 3

<b>Synonyms:</b>	WAP14; dJ447F3.3
<b>SwissProt:</b>	Q8IUB2
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and Human breast cancer
<b>IHC Recommend dilution:</b>	50-100



