

小鼠抗 ERCC3 单克隆抗体

中文名称： 小鼠抗 ERCC3 单克隆抗体

英文名称： Anti-ERCC3 mouse monoclonal antibody

别名： ERCC excision repair 3, TFIIH core complex helicase subunit; XPB; BTF2; TTD2; GTF2H; RAD25; TFIIH

相关类别： 一抗

储存： 冷冻 (-20℃)

宿主： Mouse

抗原： ERCC3

反应种属： Human

标记物： Unconjugate

克隆类型： mouse monoclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes an ATP-dependent DNA helicase that functions in nucleotide excision repair. The encoded protein is a subunit of basal transcription factor 2 (TFIIH) and, therefore, also functions in class II transcription. Mutations in this gene are associated with Xeroderma pigmentosum B, Cockayne's syndrome, and trichothiodystrophy. Alternative splicing results in multiple transcript variants. |
| Applications: | WB, IHC |
| Name of antibody: | ERCC3 |
| Immunogen: | Fusion protein of human ERCC3 |
| Full name: | ERCC excision repair 3, TFIIH core complex helicase subunit |
| Synonyms: | XPB; BTF2; TTD2; GTF2H; RAD25; TFIIH |

| | |
|---------------------------------|---|
| SwissProt: | P19447 |
| IHC positive control: | Human colon tissue and Human colorectal cancer; Human lung tissue and Human prostate tissue |
| IHC Recommend dilution: | 500-1000 |
| WB Predicted band size: | 89 KD |
| WB Positive control: | Hela, Jurkat, 293T lysates |
| WB Recommended dilution: | 200-1000 |