

## 兔抗 IFI35 多克隆抗体

中文名称：兔抗 IFI35 多克隆抗体

英文名称：Anti-IFI35 rabbit polyclonal antibody

别名：interferon induced protein 35; IFP35

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：IFI35

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

**Background:**

The Interferon family of proteins are able to alter the expression of a variety of target genes, thereby controlling various events within the cell. IFI-35 (Interferon-induced 35 kDa protein), also known as IFP35, is a 286 amino acid interferon-induced protein. Localized to the nucleus and expressed in macrophages, fibroblasts and epithelial cells, IFI-35 is a leucine zipper protein that can form homodimers, but, unlike most leucine zipper proteins, cannot bind DNA. Upon induction by IFN- $\alpha$ , IFI-35 associates with Nmi (N-Myc-interacting protein), resulting in the formation of a high molecular weight complex that is thought to play a role in IFN- $\alpha$  signaling and cellular responses. Once complexed with Nmi, IFI-35 is unable to be degraded by the proteasome, suggesting that IFI-35 is protected from degradation only when needed by IFN- $\alpha$ . Two i

|                                    |   |
|------------------------------------|---|
|                                    | soforms of IFI-35 exist due to alternative splicing events. |
| <b>Applications:</b>               | ELISA, IHC  |
| <b>Name of antibody:</b>           | IFI35   |
| <b>Immunogen:</b>                  | Synthetic peptide of human IFI35                            |
| <b>Full name:</b>                  | interferon induced protein 35                               |
| <b>Synonyms:</b>                   | IFP35   |
| <b>SwissProt:</b>                  | P80217  |
| <b>ELISA Recommended dilution:</b> | 5000-10000  |
| <b>IHC positive control:</b>       | Human breast cancer   |
| <b>IHC Recommend dilution:</b>     | 30-150  |

