

兔抗 IL16 多克隆抗体

中文名称: 兔抗 IL16 多克隆抗体

英文名称: Anti-IL16 rabbit polyclonal antibody

别名: LCF; NIL16; PRIL16; prIL-16

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: IL16

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a pleiotropic cytokine that functions as a chemoattractant, a modulator of T cell activation, and an inhibitor of HIV replication. The signaling process of this cytokine is mediated by CD4. The product of this gene undergoes proteolytic processing, which is found to yield two functional proteins. The cytokine function is exclusively attributed to the secreted C-terminal peptide, while the N-terminal product may play a role in cell cycle control. Caspase 3 is reported to be involved in the proteolytic processing of this protein. Alternate splicing results in multiple transcript variants.
Applications:	ELISA, IHC
Name of antibody:	IL16

Immunogen:	Synthetic peptide corresponding to a region derived from 1318-1332 amino acids of human IL16
Full name:	interleukin 16
Synonyms:	LCF; NIL16; PRIL16; pIL-16
SwissProt:	Q14005
ELISA Recommended dilution:	5000-10000
IHC Positive control:	Human liver cancer; Human tonsil
IHC Recommended dilution:	20-100



