

兔抗 IL18RAP 多克隆抗体

中文名称: 兔抗 IL18RAP 多克隆抗体

英文名称: Anti-IL18RAP rabbit polyclonal antibody

别名: ACPL; CD218b; IL-1R7; IL18RB; CDw218b; IL-1R-7; IL-18RAcP; IL-1RAcPL; IL-18Rbeta; IL-18R-beta

储存: 冷冻 (-20℃)

抗原: IL18RAP

宿主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

相关类别: 一抗

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is an accessory subunit of the heterodimeric receptor for interleukin 18 (IL18), a proinflammatory cytokine involved in inducing cell-mediated immunity. This protein enhances the IL18-binding activity of the IL18 receptor and plays a role in signaling by IL18. Mutations in this gene are associated with Crohn's disease and inflammatory bowel disease, and susceptibility to celiac disease and leprosy.
Applications:	ELISA, WB, IHC
Name of antibody:	IL18RAP
Immunogen:	Synthetic peptide of human IL18RAP
Full name:	interleukin 18 receptor accessory protein

Synonyms :	ACPL; CD218b; IL-1R7; IL18RB; CDw218b; IL-1R-7; IL-18RAcP; IL-1RAcPL; IL-18Rbeta; IL-18R-beta
SwissProt:	O95256
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	68 kDa
WB Positive control:	Mouse spleen tissue
WB Recommended dilution:	200-1000



