

# 兔抗 INSC 多克隆抗体

中文名称： 兔抗 INSC 多克隆抗体

英文名称： Anti-INSC rabbit polyclonal antibody

别 名： INSC, spindle orientation adaptor protein

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： INSC

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

## 技术规格

|                                    |   |
|------------------------------------|---|
| <b>Background:</b>                 | In Drosophila, neuroblasts divide asymmetrically into another neuroblast at the apical side and a smaller ganglion mother cell on the basal side. Cell polarization is precisely regulated by 2 apically localized multiprotein signaling complexes that are tethered by Inscuteable, which regulates their apical localization (Izaki et al., 2006 [PubMed 16458856]). |
| <b>Applications:</b>               | ELISA, IHC  |
| <b>Name of antibody:</b>           | INSC  |
| <b>Immunogen:</b>                  | Synthetic peptide of human INSC   |
| <b>Full name:</b>                  | INSC, spindle orientation adaptor protein   |
| <b>SwissProt:</b>                  | Q1MX18  |
| <b>ELISA Recommended dilution:</b> | 5000-10000  |

|                         |                                     |
|-------------------------|-------------------------------------|
| n:                      |                                     |
| IHC positive control:   | Human tonsil and Human liver cancer |
| IHC Recommend dilution: | 50-300                              |



