

CDK4 抗原（重组蛋白）

中文名称：CDK4 抗原（重组蛋白）

英文名称：CDK4 Antigen (Recombinant Protein)

储存：冷冻（-20℃）

相关类别：抗原

概述

Fusion protein corresponding to a region derived from 1-303 amino acids of human CDK4

技术规格

Full name:	cyclin dependent kinase 4
Synonyms:	CMM3; PSK-J3
Swissprot:	P11802
Gene Accession:	BC003644
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	The protein encoded by this gene is a member of the Ser/Thr protein kinase family. This protein is highly similar to the gene products of <i>S. cerevisiae</i> cdc28 and <i>S. pombe</i> cdc2. It is a catalytic subunit of the protein kinase complex that is important for cell cycle G1 phase progression. The activity of this kinase is restricted to the G1-S phase, which is controlled by the regulatory subunits D-type cyclins and CDK inhibitor p16(INK4a). This kinase was shown to be responsible for the phosphorylation of retinoblastoma gene product (Rb). Mutations in this gene as well as in its related proteins including D-type cyclins, p16(INK4a) and Rb were all found to be associated with tumorigenesis of a variety of cancers. Multiple polyadenylation sites of this gene have

been reported.