

## 兔抗 KCNK15 多克隆抗体

中文名称：兔抗 KCNK15 多克隆抗体

英文名称：Anti-KCNK15 rabbit polyclonal antibody

别名：potassium two pore domain channel subfamily K member 15; KT3.3; TASK5; KCNK11; KCNK14; TASK-5; K2p15.1; dJ781B1.1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：KCNK15

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes one of the members of the superfamily of potassium channel proteins containing two pore-forming P domains. The product of this gene has not been shown to be a functional channel, however, it may require other non-pore-forming proteins for activity.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	KCNK15
<b>Immunogen:</b>	Synthetic peptide of human KCNK15
<b>Full name:</b>	potassium two pore domain channel subfamily K member 15
<b>Synonyms:</b>	KT3.3; TASK5; KCNK11; KCNK14; TASK-5; K2p15.1; dJ781B1.1

<b>SwissProt:</b>	Q9H427
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human tonsil
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	36 kDa
<b>WB Positive control:</b>	Human muscle tissue lysate
<b>WB Recommended dilution:</b>	1000-5000



