

兔抗 KSR2 多克隆抗体

中文名称：兔抗 KSR2 多克隆抗体

英文名称：Anti-KSR2 rabbit polyclonal antibody

相关类别：一抗

储 存：冷冻（-20℃）避光

抗 原：KSR2

宿 主：Rabbit

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	Location-regulated scaffold connecting MEK to RAF. Has very low protein kinase activity and can phosphorylate MAP2K1 at several Ser and Thr residues with very low efficiency (in vitro). Interaction with BRAF enhances KSR2-mediated phosphorylation of MAP2K1 (in vitro). Blocks MAP3K8 kinase activity and MAP3K8-mediated signaling. Acts as a negative regulator of MAP3K3-mediated activation of ERK, JNK and NF-kappa-B pathways, inhibiting MAP3K3-mediated interleukin-8 production.
Applications:	WB, IF
Name of antibody:	KSR2
Immunogen:	Synthesized peptide derived from internal of human KSR2.
Full name:	kinase suppressor of ras 2
Synonyms :	0

SwissProt:	Q6VAB6
WB Predicted band size:	108 kDa
WB Positive control:	COS7,293,3T3 cell lysates
WB Recommended dilution :	500-3000
IF positive control:	Hela cells
IF Recommend dilution:	100-500



