

# 兔抗 LIMK2 多克隆抗体

中文名称： 兔抗 LIMK2 多克隆抗体

英文名称： Anti-LIMK2 rabbit polyclonal antibody

相关类别： 一抗

抗 原： LIMK2

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

## 技术规格

<b>Background:</b>	There are approximately 40 known eukaryotic LIM proteins, so named for the LIM domains they contain. LIM domains are highly conserved cysteine-rich structures containing 2 zinc fingers. Although zinc fingers usually function by binding to DNA or RNA, the LIM motif probably mediates protein-protein interactions. LIM kinase-1 and LIM kinase-2 belong to a small subfamily with a unique combination of 2 N-terminal LIM motifs and a C-terminal protein kinase domain.
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	LIMK2
<b>Immunogen:</b>	Synthesized peptide derived from internal of human LIMK2.
<b>Full name:</b>	LIM domain kinase 2
<b>Synonyms :</b>	0
<b>SwissProt:</b>	P53671

IHC positive control:	Human heart tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	72 kDa
WB Positive control:	HepG2 cells and Huvec cells lysates
WB Recommended dilution:	500-3000
IF positive control:	HeLa cells
IF Recommend dilution:	100-500



