

兔抗 CLDN16 多克隆抗体

- 中文名称: 兔抗 CLDN16 多克隆抗体
- 英文名称: Anti-CLDN16 rabbit polyclonal antibody
- 别名: claudin 16; HOMG3; PCLN1
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗原: CLDN16
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	Tight junctions represent one mode of cell-to-cell adhesi on in epithelial or endothelial cell sheets, forming contin uous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely throug h the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardl y facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. The protei n encoded by this gene, a member of the claudin family , is an integral membrane protein and a component of t ight junction strands. It is found primarily in the kidneys, specifically in the thick ascending limb of Henle, where i
	t acts as either an intercellular pore or ion concentration



全国订货电话 4008-723-722

	sensor to regulate the paracellular resorption of magnesi um ions. Defects in this gene are a cause of primary hy pomagnesemia, which is characterized by massive renal magnesium wasting with hypomagnesemia and hypercalc iuria, resulting in nephrocalcinosis and renal failure. This gene and the CLDN1 gene are clustered on chromosom e 3q28.
Applications:	ELISA, IHC
Name of antibody:	CLDN16
Immunogen:	Synthetic peptide of human CLDN16
Full name:	claudin 16
Synonyms:	HOMG3; PCLN1
SwissProt:	Q9Y5I7
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human brain
IHC Recommend dilution:	25-100



