

兔抗 CXCR2(Phospho-Ser347) 多克隆抗体

中文名称：兔抗 CXCR2(Phospho-Ser347) 多克隆抗体

英文名称： Anti-CXCR2(Phospho-Ser347) rabbit polyclonal antibody

别名： CD182; IL8R2; IL8RA; IL8RB; CMKAR2; CDw128b

相关类别： 一抗

储存： 冷冻（-20℃）避光

宿主： Rabbit

抗原： CXCR2(Phospho-Ser347)

反应种属： Human Mouse

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	The protein encoded by this gene is a member of the G-protein-coupled receptor family. This protein is a receptor for interleukin 8 (IL8). It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. This receptor also binds to chemokine (C-X-C motif) ligand 1 (CXCL1/MGSA), a protein with melanoma growth stimulating activity, and has been shown to be a major component required for serum-dependent melanoma cell growth.
Applications:	WB
Name of antibody:	CXCR2(Phospho-Ser347)
Immunogen:	Peptide sequence around phosphorylation site of Serine 347 (R-P-S(p)-F-V) derived from Human IL-8R beta/CDw128

	beta.
Full name:	chemokine (C-X-C motif) receptor 2
Synonyms :	CD182; IL8R2; IL8RA; IL8RB; CMKAR2; CDw128b
SwissProt:	P25025
WB Predicted band size:	41 kDa
WB Positive control:	NIH/3T3 cells lysates treated with UV
WB Recommended dilution:	500-1000

