

兔抗 CYP8B1 多克隆抗体

中文名称：兔抗 CYP8B1 多克隆抗体

英文名称： Anti-CYP8B1 rabbit polyclonal antibody

别名： CP8B; CYP12

抗原： CYP8B1

储存： 冷冻（-20℃） 避光

宿主： Rabbit

相关类别： 一抗

反应种属： Human

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	Involved in bile acid synthesis and is responsible for the conversion of 7 alpha-hydroxy-4-cholesten-3-one into 7 alpha, 12 alpha-dihydroxy-4-cholesten-3-one. Responsible for the balance between formation of cholic acid and chenodeoxycholic acid. Has a rather broad substrate specificity including a number of 7-alpha-hydroxylated C27 steroids.
Applications:	WB, IHC
Name of antibody:	CYP8B1
Immunogen:	Synthesized peptide derived from internal of human Cytochrome P450 8B1.
Full name:	cytochrome P450, family 8, subfamily B, polypeptide 1
Synonyms :	CP8B; CYP12
SwissProt:	Q9UNU6

IHC positive control:	Human liver carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	58 kDa
WB Positive control:	293 cells lysate
WB Recommended dilution:	500-3000



