

兔抗 DCXR 多克隆抗体

中文名称：兔抗 DCXR 多克隆抗体

英文名称： Anti-DCXR rabbit polyclonal antibody

别名： XR; DCR; HCR2; P34H; HCRII; KIDCR; PNTSU; SDR20C1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： DCXR

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The protein encoded by this gene acts as a homotetramer to catalyze diacetyl reductase and L-xylulose reductase reactions. The encoded protein may play a role in the uronate cycle of glucose metabolism and in the cellular osmoregulation in the proximal renal tubules. Defects in this gene are a cause of pentosuria. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	DCXR
Immunogen:	Full length fusion protein
Full name:	dicarbonyl/L-xylulose reductase
Synonyms :	XR; DCR; HCR2; P34H; HCRII; KIDCR; PNTSU; SDR20C

	1
SwissProt:	Q7Z4W1
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer and human cervical cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	26 kDa
WB Positive control:	293T and TM4 cell, human fetal liver tissue
WB Recommended dilution:	200-1000



