

兔抗 MED28 多克隆抗体

- 中文名称：兔抗 MED28 多克隆抗体
- 英文名称：Anti-MED28 rabbit polyclonal antibody
- 别名：mediator complex subunit 28; EG1; magicin; 1500003D12Rik
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：MED28
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors. May be part of a complex containing NF2/merlin that participates in cellular signaling to the actin cytoskeleton downstream of tyrosine kinase signaling pathways.
Applications:	ELISA, IHC

Name of antibody:	MED28
Immunogen:	Fusion protein of human MED28
Full name:	mediator complex subunit 28
Synonyms:	EG1; magicin; 1500003D12Rik
SwissProt:	Q9H204
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	200-400

