

KIR3DL1 抗原（重组蛋白）

中文名称：KIR3DL1 抗原（重组蛋白）

英文名称：KIR3DL1 Antigen (Recombinant Protein)

别名：KIR; NKB1; NKAT3; NKB1B; NKAT-3; CD158E1; KIR3DL1/S1

储存：冷冻（-20℃）

相关类别：抗原

概述：

Fusion protein corresponding to a region derived from 22-221 amino acids of human KIR3DL1

技术规格：

Full name:	killer cell immunoglobulin like receptor, three Ig domains and long cytoplasmic tail 1
Synonyms:	KIR; NKB1; NKAT3; NKB1B; NKAT-3; CD158E1; KIR3DL1/S1
Swissprot:	P43629
Gene Accession:	BC028206
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	Killer cell immunoglobulin-like receptors (KIRs) are transmembrane glycoproteins expressed by natural killer cells and subsets of T cells. The KIR genes are polymorphic and highly homologous and they are found in a cluster on chromosome 19q13.4 within the 1 Mb leukocyte receptor complex (LRC). The gene content of the KIR gene cluster varies among haplotypes, although several "framework" genes are found in all haplotypes (KIR3DL3, KIR3DP1, KIR3DL4, KIR3DL2). The KIR proteins are classified by the number of extracellular immunoglobulin domains (2D or 3D) and by whether they have a long (L) or short (S) cytopl

asmic domain. KIR proteins with the long cytoplasmic domain t
ransduce inhibitory signals upon ligand binding via an immune
tyrosine-based inhibitory motif (ITIM), while KIR proteins with t
he short cytoplasmic domain lack the ITIM motif and instead a
ssociate with the TYRO protein tyrosine kinase binding protein
to transduce activating signals. The ligands for several KIR prot
eins are subsets of HLA class I molecules; thus, KIR proteins ar
e thought to play an important role in regulation of the immu
ne response.