

兔抗 DRD5 多克隆抗体

中文名称：兔抗 DRD5 多克隆抗体

英文名称：Anti-DRD5 rabbit polyclonal antibody

别名：DBDR, DRD1B, DRD1L2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：DRD5

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes the D5 subtype of the dopamine receptor. The D5 subtype is a G-protein coupled receptor which stimulates adenylyl cyclase. This receptor is expressed in neurons in the limbic regions of the brain. It has a 10-fold higher affinity for dopamine than the D1 subtype. Pseudo genes related to this gene reside on chromosomes 1 and 2. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | DRD5 |
| Immunogen: | Fusion protein of human DRD5 |
| Full name: | dopamine receptor D5 |
| Synonyms : | DBDR, DRD1B, DRD1L2 |
| SwissProt: | P21918 |

| | |
|-------------------------------------|-----------------------------|
| ELISA Recommended dilution : | 1000-5000 |
| IHC positive control: | Human breast cancer |
| IHC Recommend dilution: | 50-200 |
| WB Predicted band size: | 53 kDa |
| WB Positive control: | Human ovarian cancer tissue |
| WB Recommended dilution: | 500-2000 |



