

# 兔抗 MAP3K1(Phospho-Thr1402) 多克隆抗体

中文名称：兔抗 MAP3K1(Phospho-Thr1402) 多克隆抗体

英文名称： Anti-MAP3K1(Phospho-Thr1402) rabbit polyclonal antibody

别名： MEKK; MEKK1; SRXY6; MEKK 1; MAPKKK1

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： MAP3K1(Phospho-Thr1402)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

## 技术规格

<b>Background:</b>	The protein encoded by this gene is a serine/threonine kinase and is part of some signal transduction cascades, including the ERK and JNK kinase pathways as well as the NF- $\kappa$ B pathway. The encoded protein is activated by auto phosphorylation and requires magnesium as a cofactor in phosphorylating other proteins. This protein has E3 ligase activity conferred by a plant homeodomain (PHD) in its N-terminus and phospho-kinase activity conferred by a kinase domain in its C-terminus.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	MAP3K1(Phospho-Thr1402)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of threonine 1402(T-G-A(p)-G-F) derived from Human MAP3K1.
<b>Full name:</b>	mitogen-activated protein kinase kinase kinase 1, E3 ubiquitin

	tin protein ligase
<b>Synonyms :</b>	MEKK; MEKK1; SRXY6; MEKK 1; MAPKKK1
<b>SwissProt:</b>	Q13233
<b>IHC positive control:</b>	Human brain tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	164 kDa
<b>WB Positive control:</b>	Jurkat cells lysates
<b>WB Recommended dilution:</b>	500-1000



