

兔抗 EXD2 多克隆抗体

中文名称:	兔抗 EXD2 多克隆抗体
英文名称:	Anti-EXD2 rabbit polyclonal antibody
别名:	exonuclease 3'-5' domain containing 2; EXDL2; C14orf114
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	EXD2
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Exonuclease required for double-strand breaks resection and efficient homologous recombination. Plays a key role in controlling the initial steps of chromosomal break repair, it is recruited to chromatin in a damage-dependent manner and functionally interacts with the MRN complex to accelerate resection through its 3'-5' exonuclease activity, which efficiently processes double-stranded DNA substrates containing nicks.
Applications:	ELISA, WB, IHC
Name of antibody:	EXD2
Immunogen:	Fusion protein of human EXD2
Full name:	exonuclease 3'-5' domain containing 2
Synonyms:	EXDL2; C14orf114

SwissProt:	Q9NVH0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer
IHC Recommend dilution:	40-200
WB Predicted band size:	70 kDa
WB Positive control:	Mouse testis tissue lysate
WB Recommended dilution:	200-1000



