

兔抗 LPPR5 多克隆抗体

中文名称:	兔抗 LPPR5 多克隆抗体
英文名称:	Anti-LPPR5 rabbit polyclonal antibody
别名:	PAP2, PRG5, PAP2D
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	PLPPR5
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a type 2 member of the phosphatidic acid phosphatase (PAP) family. All type 2 members of this protein family contain 6 transmembrane regions, and a consensus N-glycosylation site. PAPs convert phosphatidic acid to diacylglycerol, and function in de novo synthesis of glycerolipids as well as in receptor-activated signal transduction mediated by phospholipase D. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.
Applications:	ELISA, WB, IHC
Name of antibody:	PLPPR5
Immunogen:	Synthetic peptide of human PLPPR5
Full name:	phospholipid phosphatase related 5
Synonyms:	PAP2; PRG5; LPPR5; PAP2D

SwissProt:	Q32ZL2
ELISA Recommended dilution:	5000-10000
IHC positive control :	Human cervical cancer
IHC Recommended dilution:	100-200
WB Predicted band size:	36 kDa
WB Positive control :	HepG2 cell lysate
WB Recommended dilution:	1000-5000



