

小鼠抗 BCL2 单克隆抗体

中文名称: 小鼠抗 BCL2 单克隆抗体

英文名称: Anti-BCL2 mouse monoclonal antibody

别名: Bcl-2; PPP1R50

相关类别: 一抗

储存: 冷冻 (-20℃) 避光

宿主: Mouse

抗原: BCL2

反应种属: Human

标记物: Unconjugate

克隆类型: mouse monoclonal

技术规格

Background:	This gene encodes an integral outer mitochondrial membrane protein that blocks the apoptotic death of some cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Two transcript variants, produced by alternative splicing, differ in their C-terminal ends. [provided by RefSeq, Jul 2008].
Applications:	WB, IHC
Name of antibody:	BCL2
Immunogen:	Fusion protein of human BCL2
Full name:	B-cell CLL/lymphoma 2 (BCL2), transcript variant alpha
Synonyms:	Bcl-2; PPP1R50
SwissProt:	P10415

IHC positive control:	human lymphoma tissue and human tonsil tissue
IHC Recommend dilution:	30-150
WB Predicted band size:	26 kDa
WB Positive control:	HepG2, Hela, A549, Jurkat, MDCK, PC12 and MCF7 cell lysates
WB Recommended dilution:	500-2000



