

兔抗 FANCG 多克隆抗体

中文名称：兔抗 FANCG 多克隆抗体

英文名称： Anti-FANCG rabbit polyclonal antibody

别名： FAG; XRCC9

相关类别： 一抗

抗原： FANCG

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes

	des the protein for complementation group G.
Applications:	ELISA, IHC
Name of antibody:	FANCG
Immunogen:	Fusion protein of human FANCG
Full name:	Fanconi anemia, complementation group G
Synonyms :	FAG; XRCC9
SwissProt:	O15287
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human cervical cancer and Human colon cancer
IHC Recommend dilution:	25-100

