

兔抗 FBXL4 多克隆抗体

- 中文名称: 兔抗 FBXL4 多克隆抗体
- 英文名称: Anti-FBXL4 rabbit polyclonal antibody
- 别名: F-box and leucine rich repeat protein 4; FBL4; FBL5; MTDPS13
- 储存: 冷冻 (-20℃)
- 抗原: FBXL4
- 宿主: Rabbit
- 反应种属: Human, Mouse
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a member of the F-box protein family, which are characterized by an approximately 40 amino acid motif, the F-box. F-box proteins constitute one subunit of modular E3 ubiquitin ligase complexes, called SCF complexes, which function in phosphorylation-dependent ubiquitination. The F-box domain mediates protein-protein interactions and binds directly to S-phase kinase-associated protein 1. In addition to an F-box domain, the encoded protein contains at least 9 tandem leucine-rich repeats. The ubiquitin ligase complex containing the encoded protein may function in cell-cycle control by regulating levels of lysine-specific demethylase 4A.

	Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	FBXL4
Immunogen:	Synthetic peptide of human FBXL4
Full name:	F-box and leucine rich repeat protein 4
Synonyms:	FBL4; FBL5; MTDPS13
SwissProt:	Q9UKA2
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human lung cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	70 kDa
WB Positive control:	LOVO cell lysate
WB Recommended dilution:	200-1000



