

兔抗 RRAGA 多克隆抗体

中文名称: 兔抗 RRAGA 多克隆抗体

英文名称: Anti-RRAGA rabbit ployclonal antibody

别名: FIP1; RAGA; FIP-1

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: RRAGA

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Ras-related GTP-binding protein A is a protein that in humans is encoded by the RRAGAgene. Guanine nucleotide-binding protein forming heterodimeric Rag complexes required for the amino acid-induced relocation of mTORC1 to the lysosomes and its subsequent activation by the GTPase RHEB. This is a crucial step in the activation of the TOR signaling cascade by amino acids. Involved in the RCC1/Ran-GTPase pathway. May play a direct role in a TNF-alpha signaling pathway leading to induction of cell death.
Applications:	ELISA, WB, IHC
Name of antibody:	RRAGA
Immunogen:	Fusion protein of human RRAGA
Full name:	Ras-related GTP binding A

Synonyms :	FIP1; RAGA; FIP-1
SwissProt:	Q7L523
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	37 kDa
WB Positive control:	Hepg2 and hela cells
WB Recommended dilution:	500-2000



