

## 兔抗 RUNX1(Ab-435) 多克隆抗体

中文名称：兔抗 RUNX1(Ab-435) 多克隆抗体

英文名称： Anti-RUNX1(Ab-435) rabbit polyclonal antibody

别名： AML1; CBFA2; EVI-1; AMLCR1; PEBP2aB; AML1-EVI-1

相关类别： 一抗

储存： 冷冻（-20℃） 避光

抗原： RUNX1(Ab-435)

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	CBF binds to the core site, 5'-PYGPGGGT-3', of a number of enhancers and promoters, including murine leukemia virus, polyomavirus enhancer, T-cell receptor enhancers, LCK, IL-3 and GM-CSF promoters. The alpha subunit binds DNA and appears to have a role in the develop
--------------------	--

	<p>ment of normal hematopoiesis. Isoform AML-1L interferes with the transactivation activity of RUNX1. Acts synergistically with ELF4 to transactivate the IL-3 promoter and with ELF2 to transactivate the mouse BLK promoter. Inhibits KAT6B-dependent transcriptional activation.</p>
<b>Applications:</b>	WB
<b>Name of antibody:</b>	RUNX1(Ab-435)
<b>Immunogen:</b>	Synthesized non-phosphopeptide derived from human AML1 around the phosphorylation site of serine 435 (S-N-S(p)-P-T).
<b>Full name:</b>	runt-related transcription factor 1
<b>Synonyms :</b>	AML1; CBFA2; EVI-1; AMLCR1; PEBP2aB; AML1-EVI-1
<b>SwissProt:</b>	Q01196
<b>WB Predicted band size:</b>	49 kDa
<b>WB Positive control:</b>	HepG2 cells treated with PMA (125ng/ml, 30mins) lysate
<b>WB Recommended dilution:</b>	500-3000

