

兔抗 NFATC4 多克隆抗体

中文名称:	兔抗 NFATC4 多克隆抗体
英文名称:	Anti-NFATC4 rabbit polyclonal antibody
别名:	NFAT3; NF-ATc4
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	NFATC4
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The product of this gene is a member of the nuclear factors of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation and an inducible nuclear component. Other members of this family of nuclear factors of activated T cells also participate in the formation of this complex. The product of this gene plays a role in the inducible expression of cytokine genes in T cells, especially in the induction of the IL-2 and IL-4. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene.
Applications:	ELISA, WB
Name of antibody:	NFATC4
Immunogen:	Synthetic peptide of human NFATC4
Full name:	Nuclear factor of activated T-cells, cytoplasmic, calcineurin

	-dependent 4
Synonyms:	NFAT3; NF-ATc4
SwissProt:	Q14934
ELISA Recommended dilution:	2000-5000
WB Predicted band size:	102 kDa
WB Positive control:	NIH/3T3 and Jurkat cells
WB Recommended dilution:	500-2000

