

兔抗 RUVBL1 多克隆抗体

中文名称：兔抗 RUVBL1 多克隆抗体

英文名称：Anti-RUVBL1 rabbit polyclonal antibody

别名：RuvB like AAA ATPase 1; RVB1; TIH1; ECP54; TIP49; ECP-54; INO80H; NMP238; PONTIN; TIP49A; NMP 238; Pontin52

相关类别：一抗

储存：冷冻 (-20℃)

宿主：Rabbit

抗原：RUVBL1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a protein that has both DNA-dependent ATPase and DNA helicase activities and belongs to the ATPases associated with diverse cellular activities (AAA+) protein family. The encoded protein associates with several multisubunit transcriptional complexes and with protein complexes involved in both ATP-dependent remodeling and histone modification. Alternate splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	RUVBL1
Immunogen:	Fusion protein of human RUVBL1
Full name:	RuvB like AAA ATPase 1

Synonyms:	RVB1; TIH1; ECP54; TIP49; ECP-54; INO80H; NMP238; PONTIN; TIP49A; NMP 238; Pontin52
SwissProt:	Q9Y265
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human thyroid cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	50 kDa
WB Positive control:	Raji and K562 cell lysates
WB Recommended dilution:	1000-5000



