

兔抗 S1PR3 多克隆抗体

中文名称: 兔抗 S1PR3 多克隆抗体

英文名称: Anti-S1PR3 rabbit polyclonal antibody

别名: EDG3; LPB3; S1P3; EDG-3

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: S1PR3

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|----------------------|--|
| Background: | This gene encodes a member of the EDG family of receptors, which are G protein-coupled receptors. This protein has been identified as a functional receptor for sphingosine 1-phosphate and likely contributes to the regulation of angiogenesis and vascular endothelial cell function. Receptor for the lysosphingolipid sphingosine 1-phosphate (S1P). S1P is a bioactive lysophospholipid that elicits diverse physiological effects on most types of cells and tissues. When expressed in rat HTC4 hepatoma cells, is capable of mediating S1P-induced cell proliferation and suppression of apoptosis. |
| Applications: | ELISA, WB, IHC |

| | |
|------------------------------------|--|
| Name of antibody: | S1PR3 |
| Immunogen: | Synthetic peptide of human S1PR3 |
| Full name: | Sphingosine-1-phosphate receptor 3 |
| Synonyms : | EDG3; LPB3; S1P3; EDG-3 |
| SwissProt: | Q99500 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human cervical cancer and Human thyroid cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 42 kDa |
| WB Positive control: | Human fetal brain tissue |
| WB Recommended dilution: | 1000-5000 |



