

## 兔抗 SDC1 多克隆抗体

中文名称：兔抗 SDC1 多克隆抗体

英文名称：Anti-SDC1 rabbit polyclonal antibody

别名：SDC; CD138; SYND1; syndecan

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：SDC1

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

#### Background:

The protein encoded by this gene is a transmembrane (type I) heparan sulfate proteoglycan and is a member of the syndecan proteoglycan family. The syndecans mediate cell binding, cell signaling, and cytoskeletal organization and syndecan receptors are required for internalization of the HIV-1 tat protein. The syndecan-1 protein functions as an integral membrane protein and participates in cell proliferation, cell migration and cell-matrix interactions via its receptor for extracellular matrix proteins. Altered syndecan-1 expression has been detected in several different tumor types. While several transcript variants may exist for this gene, the full-length nature of only two

	have been described to date. These two represent the major variants of this gene and encode the same protein.
<b>Applications:</b>	WB
<b>Name of antibody:</b>	SDC1
<b>Immunogen:</b>	Synthesized peptide derived from internal of human SDC1.
<b>Full name:</b>	syndecan 1
<b>Synonyms :</b>	SDC; CD138; SYND1; syndecan
<b>SwissProt:</b>	P18827
<b>WB Predicted band size:</b>	32 kDa
<b>WB Positive control:</b>	Hela cells lysate
<b>WB Recommended dilution:</b>	500-3000

