

## 兔抗 SDC2 多克隆抗体

中文名称：兔抗 SDC2 多克隆抗体

英文名称： Anti-SDC2 rabbit polyclonal antibody

别名： HSPG; CD362; HSPG1; SYND2

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SDC2

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

The protein encoded by this gene is a transmembrane (type I) heparan sulfate proteoglycan and is a member of the syndecan proteoglycan family. The syndecans mediate cell binding, cell signaling, and cytoskeletal organization and syndecan receptors are required for internalization of the HIV-1 tat protein. The syndecan-2 protein functions as an integral membrane protein and participates in cell proliferation, cell migration and cell-matrix interactions via its receptor for extracellular matrix proteins. Altered syndecan-2 expression has been detected in several different tumor types.

<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	SDC2
<b>Immunogen:</b>	Synthetic peptide of human SDC2
<b>Full name:</b>	syndecan 2
<b>Synonyms:</b>	HSPG; CD362; HSPG1; SYND2
<b>SwissProt:</b>	P34741
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human colorectal cancer and human brain
<b>IHC Recommend dilution:</b>	25-100



