

兔抗 NR3C1(Ab-226) 多克隆抗体

中文名称：兔抗 NR3C1(Ab-226) 多克隆抗体

英文名称：Anti-NR3C1(Ab-226) rabbit polyclonal antibody

别名：GR; GCR; GRL; GCCR; GCRST

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：NR3C1(Ab-226)

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes glucocorticoid receptor, which can function both as a transcription factor that binds to glucocorticoid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a regulator of other transcription factors. This receptor is typically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. |
| Applications: | WB, IHC |
| Name of antibody: | NR3C1(Ab-226) |
| Immunogen: | Synthesized non-phosphopeptide derived from human GR around the phosphorylation site of serine 226/234/246 (L-L-S-P-L). |
| Full name: | nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor) |

| | |
|---------------------------------|---|
| Synonyms : | GR; GCR; GRL; GCCR; GCRST |
| SwissProt: | P04150 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 86 kDa |
| WB Positive control: | Jurkat cells treated with EGF (200ng/ml, 15mins) lysate |
| WB Recommended dilution: | 500-3000 |



