

## 兔抗 PAPP-AS1 多克隆抗体

- 中文名称：兔抗 PAPP-AS1 多克隆抗体
- 英文名称：Anti-PAPP-AS1 rabbit polyclonal antibody
- 别名：DIPAS; TAF4B; PAPPAS; TAF2C2; PAPPAS; PAPP-AS; TAFII105; NCRNA00156
- 相关类别：一抗
- 抗原：PAPP-AS1
- 储存：冷冻 (-20℃)
- 宿主：Rabbit
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	PAPP A was originally isolated from pregnancy serum as heterotetrameric protein complex with molecular weight approximately 500 kDa, consisting of two PAPP A subunits disulfide-linked with two subunits of the proform of eosinophil major basic protein (proMBP). In such a complex proMBP functions as an inhibitor of PAPP A proteinase activity. PAPP A is widely used as a marker of some pathologies during pregnancy. Reduced level of PAPP A in pregnancy blood in the first trimester is associated with fetal Down syndrome. PAPP A is considered as one of the best biochemical markers in early pregnancy used to screen for Down syndrome during the first trimester (Wald, N. J. et al).
<b>Applications:</b>	ELISA, IHC

<b>Name of antibody:</b>	PAPPA-AS1
<b>Immunogen:</b>	Synthetic peptide of human PAPPA-AS1
<b>Full name:</b>	PAPPA antisense RNA 1
<b>Synonyms:</b>	DIPAS; TAF4B; PAPPAS; TAF2C2; PAPPAAS; PAPPA-AS; TAF II105; NCRNA00156
<b>SwissProt:</b>	Q5QFB9
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human tonsil
<b>IHC Recommend dilution:</b>	20-100

