

兔抗 SLC7A5 多克隆抗体

中文名称: 兔抗 SLC7A5 多克隆抗体

英文名称: Anti-SLC7A5 rabbit ployclonal antibody

别 名: E16; CD98; LAT1; 4F2LC; MPE16; hLAT1; D16S469E

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: SLC7A5

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Solute carrier family 7 member 5 also known as large neutral amino acids transporter small subunit 1 is a pr otein that in humans is encoded by the SLC7A5gene. LAT1 is expressed predominantly in adult lung and liv er but is also expressed in brain, thymus, retina, testis, placenta, bone marrow and fetal liver. In the retina, L AT1 localizes to the blood-retinal-barrier (BRB) and m ediates L-leucine transport from the blood to the retin a.
Applications:	ELISA, WB
Name of antibody:	SLC7A5
Immunogen:	Synthetic peptide of human SLC7A5
Full name:	solute carrier family 7 (amino acid transporter light ch ain, L system), member 5



全国订货电话 4008-723-722

Synonyms:	E16; CD98; LAT1; 4F2LC; MPE16; hLAT1; D16S469E
SwissProt:	Q01650
ELISA Recommended dilution:	1000-2000
WB Predicted band size:	55 kDa
WB Positive control:	823 cells
WB Recommended dilution:	200-1000

