

兔抗 SLC22A8 多克隆抗体

中文名称：兔抗 SLC22A8 多克隆抗体

英文名称：Anti-SLC22A8 rabbit polyclonal antibody

别名：OAT3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：SLC22A8

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a protein involved in the sodium-independent transport and excretion of organic anions, some of which are potentially toxic. The encoded protein is an integral membrane protein and appears to be localized to the basolateral membrane of the kidney. Multiple alternatively spliced transcript variants that encode different protein isoforms have been described for this gene. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SLC22A8 |
| Immunogen: | Synthetic peptide of human SLC22A8 |
| Full name: | Solute carrier family 22 (organic anion transporter), member 8 |

| | |
|------------------------------------|--|
| Synonyms : | OAT3 |
| SwissProt: | Q8TCC7 |
| ELISA Recommended dilution: | 1000-5000 |
| IHC positive control: | Human cervical cancer and Human liver cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 60 kDa |
| WB Positive control: | 231 cells |
| WB Recommended dilution: | 500-2000 |



