

兔抗 PDGFRA 多克隆抗体

中文名称：兔抗 PDGFRA 多克隆抗体

英文名称：Anti-PDGFRA rabbit polyclonal antibody

别名：CD140A; PDGFR2; PDGFR-2; RHEPDGFRA

相关类别：一抗

抗原：PDGFRA

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. Studies suggest that this gene plays a role in organ development, wound healing, and tumor progression. |
| Applications: | WB, IHC, IF |
| Name of antibody: | PDGFRA |
| Immunogen: | Synthesized peptide derived from internal of human PDGFR α . |
| Full name: | platelet-derived growth factor receptor, alpha polypeptide |
| Synonyms: | CD140A; PDGFR2; PDGFR-2; RHEPDGFRA |
| SwissProt: | P16234 |

| | |
|---------------------------------|--------------------|
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 123 kDa |
| WB Positive control: | HepG2 cells lysate |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | Hela cells |
| IF Recommend dilution: | 100-500 |



