

## 兔抗 GNAI2 多克隆抗体

中文名称: 兔抗 GNAI2 多克隆抗体

英文名称: Anti-GNAI2 rabbit polyclonal antibody

别名: GIP; GNAI2B; H\_LUCA15.1; H\_LUCA16.1

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: GNAI2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

<b>Background:</b>	The protein encoded by this gene is an alpha subunit of guanine nucleotide binding proteins (G proteins). The encoded protein contains the guanine nucleotide binding site and is involved in the hormonal regulation of adenylate cyclase. Several transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	GNAI2
<b>Immunogen:</b>	Synthetic peptide of human GNAI2
<b>Full name:</b>	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2
<b>Synonyms :</b>	GIP; GNAI2B; H_LUCA15.1; H_LUCA16.1

SwissProt:	P04899
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	25-100
WB Predicted band size:	40 kDa
WB Positive control:	Mouse brain tissue and Human fetal brain tissue
WB Recommended dilution:	500-2000



